

### ▼ Characteristic



1. Exceptional Lighting Performance
  - High-efficiency LED delivers uniform, linear illumination.
  - Multiple beam angles for versatile lighting needs.
  - Glare-free optics ensure maximum visual comfort.
2. Durable and Weather-Resistant
  - Die-cast aluminum housing with corrosion-resistant coating.
  - IP65 waterproof and IK05 impact-resistant, perfect for outdoor use.
  - Tempered glass cover offers superior scratch and impact protection.
3. Effortless Installation
  - Compact, sleek design blends seamlessly with architectural elements.
  - Supports recessed or surface mounting for quick and easy setup.
4. Energy-Efficient and Sustainable
  - Low energy consumption with a lifespan exceeding 50,000 hours.
  - Environmentally friendly and low maintenance.



### ▼ Application


✦ Outdoor Occasion such as a window sills, ledges, and architectural details in residential, commercial, and public spaces etc.

▼ "Non-dim/dim" and "Mono/Tunable white/chromatic" is available,  
Pls confirm before ordering.



ON/OFF 0-10V DALI DMX TRIAC

### ▼ Family Matrix ( Three size )



WIN-02A-18

WIN-02B-12

WIN-02C-6

## ▼ Simulation



## ▼ Project




## ▼ Technical Data (full sery)

Model	SIZE (mm)	POWER (W/M)	CRI	CCT (K)	LUMINOUS (LM/W)	B.angle	VOLT	Control	N.G	Remark
WIN-02A-18	L300xW60xH60mm	18 W	> 80	3000K-5700K	<b>82 LM/W</b>	3x180°	DC24V	ON/OFF	/	/
WIN-02A-24	L300xW60xH60mm	24 W	/	Chromatic (RGB)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/
WIN-02A-24	L300xW60xH60mm	24 W	/	Chromatic (RGBW)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/
WIN-02B-12	L200xW60xH60mm	12 W	> 80	3000K-5700K	<b>82 LM/W</b>	3x180°	DC24V	ON/OFF	/	/
WIN-02B-18	L200xW60xH60mm	18 W	/	Chromatic (RGB)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/
WIN-02B-18	L200xW60xH60mm	18 W	/	Chromatic (RGBW)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/
WIN-02C-6	L100xW60xH60mm	6 W	> 80	3000K-5700K	<b>82 LM/W</b>	3x180°	DC24V	ON/OFF	/	/
WIN-02C-6	L100xW60xH60mm	6 W	/	Chromatic (RGB)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/
WIN-02C-6	L100xW60xH60mm	6 W	/	Chromatic (RGBW)	<b>45 LM/W</b>	3x180°	DC24V	DMX512	/	/

### !+Notes:

1. Finish: Black, and customized RAL available
2. It has three size from 6W-18W.

## ▼ Photometric curve



## ▼ Naming scheme

### WIN-02A-18

#### Lamp Watt

18: 18W

...

#### Lamp Size

A

B

...

#### Lamp Sery under one category

01:

02:

...

#### Lamp category

SL: Sports Light

HB: Highbay

RL: Road Light

WW: Wall Washer

LL: Linear Light

Neon: LED strip light

WIN: Window light